



# VISTA

Extremely versatile, the Vista is Corradi's premier exterior open roll system.

The Vista open roll system is exclusively manufactured and sold by Corradi USA.

The base model is manual gear operated with detachable clicking crank, no side tracks, and a round bottom bar.

Upgrade track options include the ShyZip Spring fabric retention system or stainless steel cable guides for both manual or motorized.

The manual option includes a detachable clicking crank with an inconspicuous foldable handle. The detachable crank can be used on a manual shade up to the manual maximum length of 16' wide.

Motor configurations include a wired switch controlled motor or wireless remote controlled motor. Corradi offers the latest motors from Nice motors and Somfy motors. Any shade more than 16' wide must be motorized. Also, the wireless options can

be used with a sun, wind, or a sun & wind sensor to automatically operate under specific conditions.

The Vista is delivered ready to install with standard easy-to-use Vista brackets that can be used for either wall or ceiling mount.

Mounting Bracket

Roll Tube

Manual Gear

**Vista KEY DETAILS**

**Max Width\*: 276"**

**Max Height\*\*: 192"**

\*Manual units can only be made up to a 16' (192") width.

\*\*Maximum height may be less for certain fabrics.  
See chart on page 5 for reference.

\*\*Only Tuffscreen, Super Solar, Tempotest StarScreen, Sheerweave 2100, and Ferrari Soltis 88 can be used over a 18' (216") width.

\*\*Maximum height for systems with vinyl window is 108" without special approval.


Shyzip Bottom Bar

ShyZip PVC Insert

ShyZip Fixed Track




ShyZip Removable Track

ShyZip Track End Cap




# VISTA Brackets & Mounts


## BRACKETS



## WALL MOUNT



**CEILING MOUNT**



**POCKET INTALLATION CEILING MOUNT**  
*(AS SEEN FROM SIDE)*

Minimum Width and Depth of Pocket MUST BE 7"

